<b>'</b> :	Application No.	Applicant(s)
Notice of Allowability	09/866,658	QIAO, JINGYU
, voluce of 7 montailms	Examiner	Art Unit
	Mark R. Milia	2625
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOT THE OFFICE OF UPON PETRON PROBLEM SEE 37 CFR 1.313	OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject t	plication. If not included n will be mailed in due course. THIS
1. $\boxtimes$ This communication is responsive to <u>the amendment received</u>	<u>red 6/9/06</u> .	
2. The allowed claim(s) is/are 1-9 and 11.		
<ol> <li>Acknowledgment is made of a claim for foreign priority under a)</li></ol>	been received. been received in Application No burnents have been received in this of this communication to file a reply ENT of this application.	national stage application from the complying with the requirements
INFORMAL PATENT APPLICATION (PTO-152) which give 5.   CORRECTED DRAWINGS (as "replacement sheets") must	s reason(s) why the oath or declarate be submitted.	ation is deficient.
(a) ☐ including changes required by the Notice of Draftsperso	on's Patent Drawing Review ( PTO-	-948) attached
<ol> <li>1) ☐ hereto or 2) ☐ to Paper No./Mail Date</li> <li>(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date</li> </ol>	Amendment / Comment or in the C	Office action of
Identifying indicia such as the application number (see 37 CFR 1.8 each sheet. Replacement sheet(s) should be labeled as such in th	34(c)) should be written on the drawi e header according to 37 CFR 1.121(	ngs in the front (not the back) of d).
6. DEPOSIT OF and/or INFORMATION about the depos attached Examiner's comment regarding REQUIREMENT F	it of BIOLOGICAL MATERIAL I FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the AL MATERIAL.
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date	6. ☐ Interview Summary Paper No./Mail Da	te
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Stateme	ent of Reasons for Allowance  Joseph R. POKRZYWA
		PRIMARY EXAMINER

Application/Control Number: 09/866,658

Art Unit: 2625

#### **DETAILED ACTION**

### Response to Amendment

1. Applicant's amendment was received on 6/9/06 and has been entered and made of record. Currently, claims 1-9 and 11 are pending.

## Response to Arguments

2. Applicant's arguments, see pages 6-11, filed 6/9/06, with respect to the rejection of claims 1-9 and 11 have been fully considered and are persuasive. The rejection of claims 1-9 and 11 has been withdrawn. Particularly, Endo fails to disclose storing client-associated last received time and data associating the client to the last received time.

# Allowable Subject Matter

- 3. Claims 1-9 and 11 are allowed.
- 4. The following is an examiner's statement of reasons for allowance:

It would not have been obvious to one of ordinary skill in the art at the time the invention was made to combine a packet monitor that monitors a packet, and updates and stores client-associated last received time by the client and data associating the

Page 2

Art Unit: 2625

client to the last received time, the client-associated last received time being the last time when the printer receives the packet for using the printer from the client, wherein the client is located on a network and is one of a plurality of clients, with the other limitations set forth in the claims.

The closest prior art, previously noted as Endo et al. (US 6493100), discloses a packet monitor that monitors a packet, and updates and stores client-associated printing start and end times and the time interval between the last job and the present time, all of the times being associated with only one client being connected via a parallel cable to the printer. Endo further discloses a time setting unit that sets the length of time to switch to the power save mode based on the printer usage. However, Endo fails to disclose a packet monitor that monitors a packet, and updates and stores client-associated last received time by the client and data associating the client to the last received time, the client-associated last received time being the last time when the printer receives the packet for using the printer from the client, wherein the client is located on a network and is one of a plurality of clients.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Page 4

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark R. Milia whose telephone number is (571) 272-7408. The examiner can normally be reached M-F 8:00am-4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Twyler M. Lamb can be reached at (571) 272-7406. The fax number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

> Mark R. Milia Examiner Art Unit 2625

MRM

ough R Phym